



STREET LIGHTS



70W SONT STREET LIGHT

Cat. No.: SLF/HPSV-T-I
Lamp: HPSV-70W(C*)
Finish: 01,02


Specification: Housing made of single piece pressure Die-Cast aluminium alloy with low copper content for sturdiness and excellent corrosion resistance. Powder coated and heat resistant toughen flat glass cover.



150W/250W SONT STREET LIGHT

Cat. No.: SL/HPSV-T-II SL/HPSV-T-III
Lamp: CDMT-150W(C*) CDMT-250W(C*)
Finish: 01,02


Specification: Powder coated Die-Cast aluminium housing.



70W MH STREET LIGHT

Cat. No.: SL/HP
Lamp: MHSE-70W(C*)
Finish: 01


Specification: Powder coated Die-Cast aluminium housing and pot optics reflector and UV stabilized acrylic cover duly wired with ballast ignitor and capacitor.



STREET LIGHT TYPE-I

Cat. No.: SL/RC-I SL/RC-II
Lamp: PL-1x11W(PL-C*) PL-2x11W(PL-C*)
Finish: 01


Specification: Epoxy white powder coated CRCA sheet steel gear tray covered with anodized aluminium reflector. Clear acrylic cover with rubber gasket fixed with by 4 toggles.



STREET LIGHT TYPE-II

Cat. No.: SL/R SL/R-I
Lamp: PL-1x11W(PL-C*) PL-1x18W(PL-C*)
Finish: 01

Specification: Epoxy white powder coated CRCA sheet steel gear tray covered with anodized aluminium reflector. Clear acrylic cover with rubber gasket fixed with by 4 toggles.



STREET LIGHT TYPE-III

Cat. No.: SLO-I
Lamp: PL-1x36W(PL-C*)
Finish: 01

Specification: Epoxy white powder coated CRCA sheet steel gear tray covered with anodized aluminium reflector. Clear acrylic cover with rubber gasket fixed with by 4 toggles.

EXTERIOR LIGHTING -LAMP POSTS AND LANTERNS

Decon offers Lamp Post and Lanterns of traditional design in Cast-iron and Aluminium. Some Lamp Posts can be of various heights and specifications. Some items have provision for adjusting heights.

Wall Brackets: Most lanterns can also be supplied as wall brackets to match the Lamp Posts.

Installation: The installation is by casting base bolts in the concrete base to which the Lamp Posts can be bolted.

Electrical: A water proof junction box is provided with secure bolts in the base of the Lamp Post. The space allows for incoming cables and looping connections.

Finish: Lamp Posts are finished in Epoxy black finish after pre-treatment.

Brackets: The brackets are either MS pipe duly protected or Cast Aluminium according to the design.

Lanterns: Lanterns are manufactured in Cast Aluminum. The Copenhagen Lantern has a Copper Canopy. To make the fixtures weatherproof, fixed glass components have sealants between the glass and metal bodies. Glass/Plastic globes are also available.

LANTERNS

All lanterns can be mounted on walls with accessory wall brackets. Poles and Lamp Posts can be supplied with multiple mountings. All fixture of die cast Aluminium



C/No.: Lan 01L Lan 01S

Ht: 685mm 455mm
W: 280mm 200mm



C/No.: Lan 02L Lan 02S

Ht: 840mm 405mm
Dia: 280mm 150mm



C/No.: Lan 03L Lan 03S

Ht: 535mm 305mm
W: 255mm 180mm



C/No.: Lan 04

Ht: 510mm
W: 270mm

WALL BRACKETS

GLOBES- GLASS AND PLASTIC

Globes are available in frosted or clear Glass or in Plastic. The fixtures are supplied with BC lamp holder.



C/No.: WBJLAN04

Ht: 265mm
W: 240mm



C/No.: WBSLAN01

Ht: 500mm
W: 320mm



C/No.: 0928/0929/0930

Dia: 200/250/300mm
Socket Dia Internal: 65mm
Glass: Frosted



C/No.: ODGC

Dia: 250/300mm
Material: Acrylic Globe
The socket diameters vary.
Please confirm when ordering

LAMP POST

Range

Lamp Post- ALUMINUM:

The models available at present.


- | Items | Height |
|-------------|-----------|
| 1. Colonial | 2.0-3.0 m |
| 2. Royal | 2.0-3.0 m |
| 3. Economy | 2.0 m |

Lamp Post - CAST IRON -


The models available at present

- | Items | Height |
|--------------------|-----------|
| 1. Copenhagen (CI) | 2.0-3.0 m |
| 2. Pudachery (CI) | 2.0-3.0 m |

Royal, Colonial, Economy Poles are Die Cast Aluminium sturdy, non-corrosive pole painted with epoxy black after pre-treatment. A service window is provided at bottom which house mains terminals and control gears. The pole can be mounted with the help of four bolts on a concrete base.



2 Light Lamp Post
Lantern: 2xLan04



3 Light Lamp Post
Lantern: 3xLan02




3 Meter Pole

COPENHAGEN


Actual reproduction of Lantern as used in Copenhagen, Denmark. It includes a Acrylic diffuser and Copper top. Available in polished and lacquered copper or antique patina finish. Economy model in black finish can be made available against special order. Supplied with profiled reflector for maximum distribution.

Electrical: For Metal Halide Lamp 70/150W. Supplied complete with control gear. Please specify lamp wattage when ordering



Cast Iron Base
Height: 1070mm
Base: 690X690mm

Cast Iron Pole
Height: 2 -3 meter
Pole attach to base dia: 152mm
Upper pole dia: 108mm



Fixture:


- Cat No.: 09COPEN Copper Polished
- 09COPEN Patina
- 09COPEN Aluminium

PUDACHERY

The design of this lantern is as per the original French design produced for restoration of Bharati Park in Pudachery. Acrylic diffuser, aluminum top. Available in polished and lacquered or Black/Green Finish. Fixture incorporates special reflector for maximum distribution.

Electrical: For Metal Halide Lamp 70/150W. Supplied complete with control gear. Please specify lamp wattage when ordering

Vandal proof: Vandal proof model with poly-carbonate diffuser can be made available against special order



Cast Iron Base
Height: 1070mm
Base: 690X690mm

Cast Iron Pole
Height: 2 -3 meter
Pole attach to base dia: 152mm
Upper pole dia: 108mm



Fixture:

- Cat No. 09 Pondi Aluminium
- 09 Pondi Black
- 09 Pondi Green

Dimensions:

- Height: 860mm
- Width square: 430mm